






## Diamond Indexable Inserts



Tool and  
Mold Forming



Automotive  
Mechanical Engineering



Medical Technology  
Microtechnology



Aerospace




# PASSION FOR DIAMOND...

ultrahard cutting materials at a glance



... is not just a slogan for us - we live this passion in our daily dealings with our customers and we are your partner when it comes to diamond or CBN tools.



## Polycrystalline diamond (PCD)

The well-known Standard Diamond

PCD is a synthetically produced, extremely tough, intergrown mass of diamond particles with a random orientation in a metal matrix. It is produced by sintering selected diamond particles under high pressure and high temperatures.

Graphite serves as a catalyst allowing the PDC crystals to intergrow. PCD has a high thermal conductivity and good heat dissipation away from the cutting edge. In addition, PCD has the highest bending fracture strength of all cutting materials.

PCD is very well suited for machining aluminum with a Si content of up to 12% and/or other abrasive fillers. The thermal hardness is about 750°C. The areas of application are like those of CVD thick-film diamond, but CVD thick film has a higher cost effectiveness with hard-brittle materials or aluminum from a Si content of 12%.

## CVD-Thickfilm Diamond (CVD-D)

The Star among Diamond Cutting Materials

For the machining of hard-brittle materials such as Ceramics, glass, glass-Ceramics, tungsten Carbide, MMC and fiber-reinforced composites such as CFRP and GFRP. Due to the lack of a bonding matrix, the diamond content is much higher than with PCD. In the group of ultra-hard cutting materials, binderless CVD-D is one of the hardest man-made diamond cutting materials.

CVD-D is characterized by high hardness as well as high wear resistance. These properties make CVD-D the perfect cutting material for machining abrasive materials. Compared to PCD, which is damaged by the abrasive particles due to its soft metallic binder phase, the CVD-D cutting edge remains stable due to its binderless anchoring in the diamond matrix.

With the correct use of CVD-D, the tool life can be increased by up to 10 times (and even more) compared to PCD!

## Binderless Diamond (UltraDiamond)

The hardest Mono Crystal

Single-crystal elements are laser-cut from diamond blanks in a defined orientation using laser segmentation technology. This new technology makes it possible, in addition to polycrystalline cutting materials such as PCD and CVD-D, to also braze a monocrystal (UltraDiamond) under high vacuum on any tool carrier. Compared to PCD, the tool life can be increased by approx. 15 to 25 times and compared to CVD-D by approx. 2 to 5 times.

The areas of application are similar to PCD and CVD-D, but this monocrystalline cutting material offers a further significant increase in tool life in all applications where PCD and CVD-D reach the limits of economic viability. The UltraDiamond cutting material makes economical machining of very hard, highly brittle materials such as Ceramics, glass, glass-Ceramics and hard metals with low cobalt binder and nickel binder (<10%) possible.

## Our Diamond-Grades

and their main applications at a glance

We want to offer you the ideal solution for your application. Therefore, we have developed three main diamond groups, specially adapted to the requirements of the different materials.

Below you will find an overview of the different groups.

PCD	is ideally suited for the machining of *
	Aluminum <10% Si   Brass   Copper, Copper Alloys   Graphite   Magnesium   PEEK   Tungsten alloy

- continuous cut
- light interrupted cut
- heavy interrupted cut

CVD-D	is ideally suited for the machining of *
	Acrylic (PMMA)   Aluminum >10% Si   Carbide   Ceramics   Composites (GFRP/CFRP)   Copper, Copper Alloys   Glass, Glass Ceramic   Magnesium   Plastic   Silver, Gold, Platinum   Titanium   Zirconium

- continuous cut
- light interrupted cut
- heavy interrupted cut

UltraDiamond	is ideally suited for the machining of *
	Acrylic (PMMA)   Carbide   Ceramic   Glass, Glass Ceramic

- continuous cut
- light interrupted cut
- heavy interrupted cut

\* all other applications can be found in the complete cutting material assignment on page 7

## Our Cutting Material Assignment

about the materials

You cannot find your material in the table?

We are glad to help you by phone or by mail!

Phone: 888.554.7264

Mail: sales@ranitool.com

<span style="color: green;">Green ✓</span>	First choice
<span style="color: orange;">Orange ✓</span>	Possible alternative

ISO	Material	PCD	CVD-D	Ultra Diamond
S	Titanium (Roughing)	✓		
	Titanium (Finishing)		✓	
N	Acrylic (PMMA)		✓	✓
	Aluminum, < 10% Si	✓	✓	
	Aluminum, > 10% Si		✓	✓
	Brass	✓	✓	
	Carbide G-Grade, < 15% Co		✓	✓
	Carbide G-Grade, > 15% Co		✓	
	Carbide K-Grade, < 15% Co		✓	✓
	Carbide K-Grade, > 15% Co		✓	
	Carbide (Green)	✓		
	Carbide with Ni Binder			✓
	Ceramics		✓	✓
	Ceramics (Green)	✓		
	Composite such as CFRP/GFRP	✓	✓	
	Copper, Copper Alloys	✓	✓	
	Glass, Glass Ceramic		✓	✓
	Graphite	✓	✓	
	Magnesium	✓	✓	
	MMC		✓	✓
	Plastics		✓	
	PEEK	✓	✓	
	Silver, Gold, Platinum		✓	✓
	Tungsten alloy	✓	✓	
	Zirconium		✓	✓

## 3D - Lasered Micro Chip Breaker

for optimized chip control

Diamond tools are the first choice for the machining of aluminum (<Si1) and magnesium Alloys, lead-free Brass, and a wide variety of plastic composites. However, these long-chipping materials are often plagued by chip problems.


Our laser technology allows us to introduce 3D micro chip grooves into a wide variety of PCD, CVD-D and CBN tools. This special laser ablation process allows more complex chipbreaker shapes and achieve excellent chip control.



A lasered 3D micro chip breaker enables controlled chip breakage in most long-chipping materials. In addition, the chipbreaker minimizes cutting pressure, allowing for the machining of thin-walled components.

For controlled chip breaking, we offer you two different 3D-Micro chip grooves:

- CBF (sharp cutting edge for finishing cuts)
- CBR (stable cutting edge for roughing cuts)




Material: AlSi1

Material: AlSi1

## Wiper Indexable Inserts

Functionality

### Wiper Indexable Inserts:



### Advantages when using Wiper Geometries


By using the same feed rate a 2-4 times better surface quality can be obtained or with a 2-4 times higher feed rate the same surface quality can be reached.

To get the wiper geometry into cutting condition please use the following lead angles at the machine:

**C and W Type:** 95°

**D Typ:** 93°

CCGW ...  
(Z1)



DCGW ...  
(Z1)




WCGW ...  
(Z3)




## ISO Code

### Diamond Indexable Inserts

#### Shape



#### Clearance




#### Tolerance [mm]


	m	s	d		m	s	d	
<b>A</b>	±0,005	±0,025	±0,025	<b>J</b>	±0,005	±0,025	±0,05 → ±0,15	
<b>F</b>	±0,005	±0,025	±0,013	<b>K</b>	±0,013	±0,025	±0,05 → ±0,15	
<b>C</b>	±0,013	±0,025	±0,025	<b>L</b>	±0,025	±0,025	±0,05 → ±0,15	
<b>H</b>	±0,013	±0,025	±0,013	<b>M</b>	±0,08 → ±0,20	±0,130	±0,05 → ±0,15	
<b>E</b>	±0,025	±0,025	±0,025	<b>N</b>	±0,08 → ±0,20	±0,25	±0,05 → ±0,15	
<b>G</b>	±0,025	±0,130	±0,025	<b>U</b>	±0,13 → ±0,38	±0,130	±0,08 → ±0,15	

\*[M, N, U] The exact tolerance depends on the size of the insert.

#### Insert Type



#### Insert size [mm]



#### Insert size [mm]

01	S=.062	T1	S=.078	02	S=.094	03	S=.125	T3	S=.156	04	S=.187	05	S=.219	06	S=.250


By numbers below 10 a 0 is added in at the front. Decimals remain unconsidered (for example: 4,76 = 04)

## Your Notes

Large grid area for notes.

## CCGT - Positive Rake Angle

edge tipped



FN - positive rake angle

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
					PCD	CVD-D	Ultra Diamond	
Standard	CCGT-21.50.5	.250	.094	.008	DP1010-0001	DP2010-0001		1-edge tipped
	CCGT-21.51	.250	.094	.016	DP1010-0002	DP2010-0002		1-edge tipped
	CCGT-21.52	.250	.094	.031	DP1010-0003	DP2010-0003		1-edge tipped
	CCGT-32.50.5	.375	.156	.008	DP1010-0004	DP2010-0004		1-edge tipped
	CCGT-32.51	.375	.156	.016	DP1010-0005	DP2010-0005		1-edge tipped
	CCGT-32.52	.375	.156	.031	DP1010-0006	DP2010-0006		1-edge tipped
	CCGT-32.53	.375	.156	.047	DP1010-0007	DP2010-0007		1-edge tipped
	CCGT-430.5	.500	.187	.008	DP1010-0008	DP2010-0008		1-edge tipped
	CCGT-431	.500	.187	.016	DP1010-0009	DP2010-0009		1-edge tipped
	CCGT-432	.500	.187	.031	DP1010-0010	DP2010-0010		1-edge tipped

## CCGT - Chip Breaker

edge tipped



FN - Chip breaker for finishing (CBF) or roughing (CBR)

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Item No.	Version
					PCD	CVD-D	PCD	CVD-D	
Standard	CCGT-21.50.5	.250	.094	.008	DP1011-0001	DP2011-0001	DP1012-0001	DP2012-0001	1-edge tipped
	CCGT-21.51	.250	.094	.016	DP1011-0002	DP2011-0002	DP1012-0002	DP2012-0002	1-edge tipped
	CCGT-21.52	.250	.094	.031	DP1011-0003	DP2011-0003	DP1012-0003	DP2012-0003	1-edge tipped
	CCGT-32.50.5	.375	.156	.008	DP1011-0004	DP2011-0004	DP1012-0004	DP2012-0004	1-edge tipped
	CCGT-32.51	.375	.156	.016	DP1011-0005	DP2011-0005	DP1012-0005	DP2012-0005	1-edge tipped
	CCGT-32.52	.375	.156	.031	DP1011-0006	DP2011-0006	DP1012-0006	DP2012-0006	1-edge tipped
	CCGT-430.5	.500	.187	.008	DP1011-0458	DP2011-0458	DP1012-0458	DP2012-0458	1-edge tipped
	CCGT-431	.500	.187	.016	DP1011-0008	DP2011-0008	DP1012-0008	DP2012-0008	1-edge tipped
	CCGT-432	.500	.187	.031	DP1011-0009	DP2011-0009	DP1012-0009	DP2012-0009	1-edge tipped
	CCGT-21.50.5 R/L-W	.250	.094	.008	DP1011-0011		DP1012-0011		1-edge tipped
Wiper	CCGT-21.51 R/L-W	.250	.094	.016	DP1011-0012		DP1012-0012		1-edge tipped
	CCGT-32.50.5 R/L-W	.375	.156	.008	DP1011-0014		DP1012-0014		1-edge tipped
	CCGT-32.51 R/L-W	.375	.156	.016	DP1011-0015		DP1012-0015		1-edge tipped
	CCGT-32.52 R/L-W	.375	.156	.031	DP1011-0016		DP1012-0016		1-edge tipped
	CCGT-430.5 R/L-W	.500	.187	.008	DP1011-0018		DP1012-0018		1-edge tipped
	CCGT-431 R/L-W	.500	.187	.016	DP1011-0019		DP1012-0019		1-edge tipped
	CCGT-432 R/L-W	.500	.187	.031	DP1011-0020		DP1012-0020		1-edge tipped

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, Sintered Ceramic Materials, highly abrasive materials ...



Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)



All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

## CCGT - Positive Rake Angle

entire edge





right version - positive rake angle

Standard - right version	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
	ISO Code	IC	S	R	Item No.	Item No.	Ultra Diamond	
CCGT-21.50.5 R-GS	.250	.094	.008	DP1020-0055	DP2020-0055			entire edge
CCGT-21.51 R-GS	.250	.094	.016	DP1020-0001	DP2020-0001			entire edge
CCGT-21.52 R-GS	.250	.094	.031	DP1020-0002	DP2020-0002			entire edge
CCGT-32.51 R-GS	.375	.156	.016	DP1020-0056	DP2020-0056			entire edge
CCGT-32.52 R-GS	.375	.156	.031	DP1020-0003	DP2020-0003			entire edge
CCGT-32.53 R-GS	.375	.156	.047	DP1020-0004	DP2020-0004			entire edge
CCGT-431 R-GS	.500	.187	.016	DP1020-0057	DP2020-0057			entire edge
CCGT-432 R-GS	.500	.187	.031	DP1020-0005	DP2020-0005			entire edge

## CCGT - Chip Breaker

entire edge



right version - FN - Chip breaker for finishing (CBF) or roughing (CBR)

Standard - right version	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
	ISO Code	IC	S	R	Item No.	Item No.	Item No.	
CCGT-21.50.5 R-GS	.250	.094	.008	DP1021-0032	DP2021-0032	DP1022-0032	DP2022-0032	entire edge
CCGT-21.51 R-GS	.250	.094	.016	DP1021-0001	DP2021-0001	DP1022-0001	DP2022-0001	entire edge
CCGT-21.52 R-GS	.250	.094	.031	DP1021-0002	DP2021-0002	DP1022-0002	DP2022-0002	entire edge
CCGT-32.51 R-GS	.375	.156	.016	DP1021-0033	DP2021-0033	DP1022-0033	DP2022-0033	entire edge
CCGT-32.52 R-GS	.375	.156	.031	DP1021-0003	DP2021-0003	DP1022-0003	DP2022-0003	entire edge
CCGT-431 R-GS	.500	.187	.016	DP1021-0034	DP2021-0034	DP1022-0034	DP2022-0034	entire edge
CCGT-432 R-GS	.500	.187	.031	DP1021-0005	DP2021-0005	DP1022-0005	DP2022-0005	entire edge

left version - positive rake angle

Standard - left version	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
	ISO Code	IC	S	R	Item No.	Item No.	Ultra Diamond	
CCGT-21.50.5 L-GS	.250	.094	.008	DP1020-0058	DP2020-0058			entire edge
CCGT-21.51 L-GS	.250	.094	.016	DP1020-0045	DP2020-0045			entire edge
CCGT-21.52 L-GS	.250	.094	.031	DP1020-0046	DP2020-0046			entire edge
CCGT-32.51 L-GS	.375	.156	.016	DP1020-0059	DP2020-0059			entire edge
CCGT-32.52 L-GS	.375	.156	.031	DP1020-0047	DP2020-0047			entire edge
CCGT-32.53 L-GS	.375	.156	.047	DP1020-0048	DP2020-0048			entire edge
CCGT-431 L-GS	.500	.187	.016	DP1020-0060	DP2020-0060			entire edge
CCGT-432 L-GS	.500	.187	.031	DP1020-0049	DP2020-0049			entire edge

left version - FN - Chip breaker for finishing (CBF) or roughing (CBR)

Standard - left version	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
	ISO Code	IC	S	R	Item No.	Item No.	Item No.	
CCGT-21.50.5 L-GS	.250	.094	.008	DP1021-0035	DP2021-0035	DP1022-0035	DP2022-0035	entire edge
CCGT-21.51 L-GS	.250	.094	.016	DP1021-0031	DP2021-0031	DP1022-0031	DP2022-0031	entire edge
CCGT-21.52 L-GS	.250	.094	.031	DP1021-0027	DP2021-0027	DP1022-0027	DP2022-0027	entire edge
CCGT-32.51 L-GS	.375	.156	.016	DP1021-0036	DP2021-0036	DP1022-0036	DP2022-0036	entire edge
CCGT-32.52 L-GS	.375	.156	.031	DP1021-0028	DP2021-0028	DP1022-0028	DP2022-0028	entire edge
CCGT-431 L-GS	.500	.187	.016	DP1021-0037	DP2021-0037	DP1022-0037	DP2022-0037	entire edge
CCGT-432 L-GS	.500	.187	.031	DP1021-0030	DP2021-0030	DP1022-0030	DP2022-0030	entire edge

### Application range:


- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

 Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)

 All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

## CCGW

edge tipped



### FN - neutral

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No. <small>New</small>	Version	CL 3,00 mm 1-edge tipped			
									PCD	CVD-D	Ultra Diamond	
	CCGW 21.50	.250	.094	.004		DP2010-0591	DP1110-0591		1-edge tipped			
	CCGW 21.50.5	.250	.094	.008	DP1010-0021	DP2010-0021	DP1110-0021		1-edge tipped			
	CCGW 21.51	.250	.094	.016	DP1010-0022	DP2010-0022	DP1110-0022		1-edge tipped			
	CCGW 21.52	.250	.094	.031	DP1010-0023	DP2010-0023	DP1110-0023		1-edge tipped			
	CCGW 32.50.5	.375	.156	.008	DP1010-0024	DP2010-0024			1-edge tipped			
	CCGW 32.51	.375	.156	.016	DP1010-0025	DP2010-0025			1-edge tipped			
	CCGW 32.52	.375	.156	.031	DP1010-0026	DP2010-0026			1-edge tipped			
	CCGW 32.53	.375	.156	.047	DP1010-0027	DP2010-0027			1-edge tipped			
	CCGW 430.5	.500	.187	.008	DP1010-0700	DP2010-0129			1-edge tipped			
	CCGW 431	.500	.187	.016	DP1010-0028	DP2010-0028			1-edge tipped			
	CCGW 432	.500	.187	.031	DP1010-0029	DP2010-0029			1-edge tipped			
	CCGW 120412	.500	.187	.047	DP1010-0030	DP2010-0030			1-edge tipped			
Wiper	CCGW 21.50.5 R/L-W	.250	.094	.008	DP1010-0031	DP2010-0031			1-edge tipped			
	CCGW 21.51 R/L-W	.250	.094	.016	DP1010-0032	DP2010-0032			1-edge tipped			
	CCGW 32.50.5 R/L-W	.375	.156	.008	DP1010-0034	DP2010-0034			1-edge tipped			
	CCGW 32.51 R/L-W	.375	.156	.016	DP1010-0035	DP2010-0035			1-edge tipped			
	CCGW 32.52 R/L-W	.375	.156	.031	DP1010-0036	DP1010-0036			1-edge tipped			
	CCGW 430.5 R/L-W	.500	.187	.008	DP1010-0038	DP2010-0038			1-edge tipped			
	CCGW 431 R/L-W	.500	.187	.016	DP1010-0039	DP2010-0039			1-edge tipped			
	CCGW 432 R/L-W	.500	.187	.031	DP1010-0040	DP2010-0040			1-edge tipped			

#### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.

## CCGW

entire edge | right and left version



### right version - neutral

Standard - right version	ISO Code	IC	S	R	Item No.	Item No.	Item No. <small>New</small>	Version	Figure shows right version entire edge			
									PCD	CVD-D	Ultra Diamond	
	CCGW 21.50.5 R-GS	.250	.094	.008	DP1020-0061	DP2020-0061						entire edge
	CCGW 21.51 R-GS	.250	.094	.016	DP1020-0006	DP2020-0006						entire edge
	CCGW 21.52 R-GS	.250	.094	.031	DP1020-0007	DP2020-0007						entire edge
	CCGW 32.51 R-GS	.375	.156	.016	DP1020-0062	DP2020-0062						entire edge
	CCGW 32.52 R-GS	.375	.156	.031	DP1020-0008	DP2020-0008						entire edge
	CCGW 32.53 R-GS	.375	.156	.047	DP1020-0009	DP2020-0009						entire edge
	CCGW 431 R-GS	.500	.187	.016	DP1020-0063	DP2020-0063						entire edge
	CCGW 432 R-GS	.500	.187	.031	DP1020-0010	DP2020-0010						entire edge

### left version - neutral

Standard - left Version	ISO Code	IC	S	R	Item No.	Item No.	Item No. <small>New</small>	Version	Figure shows left version entire edge			
									PCD	CVD-D	Ultra Diamond	
	CCGW 21.50.5 L-GS	.250	.094	.008	DP1020-0064	DP2020-0064						entire edge
	CCGW 21.51 L-GS	.250	.094	.016	DP1020-0050	DP2020-0050						entire edge
	CCGW 21.52 L-GS	.250	.094	.031	DP1020-0051	DP2020-0051						entire edge
	CCGW 32.51 L-GS	.375	.156	.016	DP1020-0065	DP2020-0065						entire edge
	CCGW 32.52 L-GS	.375	.156	.031	DP1020-0052	DP2020-0052						entire edge
	CCGW 32.53 L-GS	.375	.156	.047	DP1020-0053	DP2020-0053						entire edge
	CCGW 431 L-GS	.500	.187	.016	DP1020-0066	DP2020-0066						entire edge
	CCGW 432 L-GS	.500	.187	.031	DP1020-0054	DP2020-0054						entire edge

Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)

All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

## CDGW

FullFace | edge tipped



FullFace | right and left version

MiniTools	right	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
		CDGW 03X101-R	.126	.025	.004		DP2030-0500		FullFace (Z1)
left	CDGW 03X102-R	.126	.025	.008		DP2030-0502			FullFace (Z1)
	CDGW 03X101-L	.126	.025	.004		DP2030-0501			FullFace (Z1)
	CDGW 03X102-L	.126	.025	.008		DP2030-0503			FullFace (Z1)

Figure shows  
right version  
FullFace

! You will find the matching boring bar holder in our boring bar catalog (03) on page 21.

## CNGA

edge tipped



FN - neutral

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
	CNGA 431	.500	.187	.016		DP2010-0173		1-edge tipped
	CNGA 432	.500	.187	.031		DP2010-0174		1-edge tipped
	CNGA 120412	.500	.187	.047		DP2010-0175		1-edge tipped

FN - neutral

MiniTools	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
	CDGW 040101	.156	.039	.004		DP2010-0511	DP1110-1480	2-edge tipped
	CDGW 040102	.156	.039	.008		DP2010-0512	DP1110-1482	2-edge tipped
	CDGW 040104	.156	.039	.016		DP2010-0513	DP1110-1484	2-edge tipped

! You will find the matching boring bar holder in our boring bar catalog (03) on page 22.

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.



Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)



All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)


Subject to technical changes.

## CPGT - Positive Rake Angle

edge tipped




FN - positive rake angle




	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
Standard	CPGT 21.50.5	.250	.094	.008	DP1010-0201	DP2010-0201		1-edge tipped
	CPGT 21.51	.250	.094	.016	DP1010-0202	DP2010-0202		1-edge tipped
	CPGT 21.52	.250	.094	.031	DP1010-0203	DP2010-0203		1-edge tipped

## CPGT - Chip Breaker

edge tipped



FN - neutral - FN - Chip breaker for finishing (CBF) or roughing (CBR)



	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Item No.	Version	
		CBF (Finishing)				CBR (Roughing)				
Standard	CPGT 21.50.5	.250	.094	.008	DP1011-0251	DP2011-0251	DP1012-0251	DP2012-0251	1-edge tipped	
	CPGT 21.51	.250	.094	.016	DP1011-0252	DP2011-0252	DP1012-0252	DP2012-0252	1-edge tipped	
	CPGT 21.52	.250	.094	.031	DP1011-0253	DP2011-0253	DP1012-0253	DP2012-0253	1-edge tipped	
	CPGT 32.50.5	.375	.156	.008	DP1011-0254	DP2011-0254	DP1012-0254	DP2012-0254	1-edge tipped	
	CPGT 32.51	.375	.156	.016	DP1011-0255	DP2011-0255	DP1012-0255	DP2012-0255	1-edge tipped	
	CPGT 32.52	.375	.156	.031	DP1011-0256	DP2011-0256	DP1012-0256	DP2012-0256	1-edge tipped	
	CPGT 431	.500	.187	.016	DP1011-0257	DP2011-0257	DP1012-0257	DP2012-0257	1-edge tipped	
	CPGT 432	.500	.187	.031	DP1011-0258	DP2011-0258	DP1012-0258	DP2012-0258	1-edge tipped	

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.



Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)



All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

Subject to technical changes.



## FN - neutral

Standard	ISO Code	Dimensions			PCD	CVD-D	Ultra Diamond	Item No.	Item No.	Item No.	Version
		IC	S	R							
	CPGW 21.50	.250	.094	.004		DP2010-0595					1-edge tipped
	CPGW 21.50.5	.250	.094	.008	DP1010-0251	DP2010-0251					1-edge tipped
	CPGW 21.51	.250	.094	.016	DP1010-0252	DP2010-0252					1-edge tipped
	CPGW 21.52	.250	.094	.031	DP1010-0253	DP2010-0253					1-edge tipped
	CPGW 32.50	.375	.156	.004		DP2010-0596					1-edge tipped
	CPGW 32.50.5	.375	.156	.008	DP1010-0254	DP2010-0254					1-edge tipped
	CPGW 32.51	.375	.156	.016	DP1010-0255	DP2010-0255					1-edge tipped
	CPGW 32.52	.375	.156	.031	DP1010-0256	DP2010-0256					1-edge tipped
	CPGW 431	.500	.187	.016	DP1010-0257	DP2010-0257					1-edge tipped
	CPGW 432	.500	.187	.031	DP1010-0258	DP2010-0258					1-edge tipped
	CPGW 433	.500	.187	.047	DP1010-0259	DP2010-0259					1-edge tipped

## Application range:


- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

## Your Notes

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

## DCGT - Positive Rake Angle

edge tipped



FN - positive rake angle

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
Standard	DCGT 21.50	.250	.094	.004	DP1010-0601	DP2010-0601		1-edge tipped
	DCGT 21.50.5	.250	.094	.008	DP1010-0042	DP2010-0042		1-edge tipped
	DCGT 21.50.5	.250	.094	.016	DP1010-0043	DP2010-0043		1-edge tipped
	DCGT 21.51	.250	.094	.031	DP1010-0044	DP2010-0044		1-edge tipped
	DCGT 32.50	.375	.156	.004	DP1010-0602	DP2010-0602		1-edge tipped
	DCGT 32.50.5	.375	.156	.008	DP1010-0045	DP2010-0045		1-edge tipped
	DCGT 32.51	.375	.156	.016	DP1010-0046	DP2010-0046		1-edge tipped
	DCGT 32.52	.375	.156	.031	DP1010-0047	DP2010-0047		1-edge tipped
	DCGT 32.53	.375	.156	.047	DP1010-0048	DP2010-0048		1-edge tipped

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

## DCGT - Chip Breaker

edge tipped



FN - neutral - FN - Chip breaker for finishing (CBF) or roughing (CBR)

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version	
Standard	DCGT 21.50.5	.250	.094	.008	DP1011-0022	DP2011-0022	DP1012-0022	DP2012-0022	1-edge tipped
	DCGT 21.51	.250	.094	.016	DP1011-0023	DP2011-0023	DP1012-0023	DP2012-0023	1-edge tipped
	DCGT 21.52	.250	.094	.031	DP1011-0024	DP2011-0024	DP1012-0024	DP2012-0024	1-edge tipped
	DCGT 32.50.5	.375	.156	.008	DP1011-0025	DP2011-0025	DP1012-0025	DP2012-0025	1-edge tipped
	DCGT 32.51	.375	.156	.016	DP1011-0026	DP2011-0026	DP1012-0026	DP2012-0026	1-edge tipped
	DCGT 32.52	.375	.156	.031	DP1011-0027	DP2011-0027	DP1012-0027	DP2012-0027	1-edge tipped
	DCGT 21.50.5 R/L W*	.250	.094	.008	DP1011-0029	DP2011-0029	DP1012-0029	DP2012-0029	1-edge tipped
	DCGT 21.51 R/L W*	.250	.094	.016	DP1011-0030	DP2011-0030	DP1012-0030	DP2012-0030	1-edge tipped
	DCGT 21.52 R/L W*	.250	.094	.031	DP1011-0071	DP2011-0072	DP1012-0071	DP2012-0072	1-edge tipped
	DCGT 32.50.5 R/L W*	.375	.156	.008	DP1011-0031	DP2011-0031	DP1012-0031	DP2012-0031	1-edge tipped
Wiper	DCGT 32.51 R/L W*	.375	.156	.016	DP1011-0032	DP2011-0032	DP1012-0032	DP2012-0032	1-edge tipped
	DCGT 32.52 R/L W*	.375	.156	.031	DP1011-0072	DP2011-0073	DP1012-0072	DP2012-0073	1-edge tipped

\* for lengthwise turning

## DCGW

edge tipped



### FN - neutral

ISO Code	IC	S	R	PCD	CVD-D	Ultra Diamond	Version
				Item No.	Item No.	Item No. <small>New</small>	
DCGW 04T001	.122	.047	.004		DP2010-0521	DP1110-1492	2-edge tipped
	.122	.047	.008		DP2010-0522	DP1110-1494	2-edge tipped
	.122	.047	.016		DP2010-0523	DP1110-1496	2-edge tipped

! You will find the matching boring bar holder in our boring bar catalog (03) on page 24.

ISO Code	IC	S	R	PCD	CVD-D	Ultra Diamond	Version
				Item No.	Item No.	Item No. <small>New</small>	
DCGW 21.50	.250	.094	.004	DP1010-0603	DP2010-0603	DP1110-0603	1-edge tipped
DCGW 21.50.5	.250	.094	.008	DP1010-0056	DP2010-0056	DP1110-0056	1-edge tipped
DCGW 21.51	.250	.094	.016	DP1010-0057	DP2010-0057	DP1110-0057	1-edge tipped
DCGW 21.52	.250	.094	.031	DP1010-0058	DP2010-0058	DP1110-0058	1-edge tipped
DCGW 32.50	.375	.156	.004	DP1010-0604	DP2010-0604	DP1110-0604	1-edge tipped
DCGW 32.50.5	.375	.156	.008	DP1010-0059	DP2010-0059	DP1110-0059	1-edge tipped
DCGW 32.51	.375	.156	.016	DP1010-0060	DP2010-0060	DP1110-0060	1-edge tipped
DCGW 32.52	.375	.156	.031	DP1010-0061	DP2010-0061	DP1110-0061	1-edge tipped
DCGW 32.53	.375	.156	.047	DP1010-0062	DP2010-0062	DP1110-0062	1-edge tipped
DCGW 32.55	.375	.156	.078			DP1110-0133	1-edge tipped
DCGW 21.50.5 R/L W	.250	.094	.008	DP1010-0063	DP2010-0063		1-edge tipped
DCGW 21.51 R/L W	.250	.094	.016	DP1010-0064	DP2010-0064		1-edge tipped
DCGW 21.52 R/L W	.250	.094	.031	DP1010-0128	DP2010-0130		1-edge tipped
DCGW 32.50.5 R/L W	.375	.156	.008	DP1010-0065	DP2010-0065		1-edge tipped
DCGW 32.51 R/L W	.375	.156	.016	DP1010-0066	DP2010-0066		1-edge tipped
DCGW 32.52 R/L W	.375	.156	.031	DP1010-0129	DP2010-0131		1-edge tipped

#### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.

## DNGA

edge tipped



### FN - neutral

Standard	ISO Code	IC	S	R	PCD	CVD-D	Ultra Diamond	Version
					Item No.	Item No.	Item No.	
Standard	DNGA 440.5	.500	.250	.008				1-edge tipped
	DNGA 441	.500	.250	.016				1-edge tipped
	DNGA 442	.500	.250	.031				1-edge tipped

Subject to technical changes.



Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)




All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

## DXGW

edge tipped




FN - neutral



DTS - Specials	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
	PCD	CVD-D	Ultra Diamond					
DXGW 32.50	.375	.156	.004		DP2010-0300			1-edge tipped
DXGW 32.50.5	.375	.156	.008		DP2010-0301			1-edge tipped
DXGW 32.51	.375	.156	.016		DP2010-0302			1-edge tipped
DXGW 32.52	.375	.156	.031		DP2010-0303			1-edge tipped

## DXGW

### Face / Axial Machining




#### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...


You will find further application ranges in the detailed overview on page 7.

## EPGW

edge tipped



FN - neutral



MiniTools	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
	PCD	CVD-D	Ultra Diamond					
EPGW 050201	.219	.094	.004		DP2010-0531	DP1110-1400		2-edge tipped
EPGW 050202	.219	.094	.008		DP2010-0532	DP1110-1402		2-edge tipped
EPGW 050204	.219	.094	.016		DP2010-0533	DP1110-1404		2-edge tipped

! You will find the matching boring bar holder in our boring bar catalog (03) on page 26.

Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)

All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

## ODGW

FullFace



FN - FullFace

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
	<b>ODGW 05T302 FF</b>	.500	.156	.008	MI1030-0100	MI2030-0100		FullFace (Z8)		
	<b>ODGW 05T304 FF</b>	.500	.156	.016	MI1030-0102	MI2030-0102		FullFace (Z8)		
	<b>ODGW 05T308 FF</b>	.500	.156	.031	MI1030-0104	MI2030-0104		FullFace (Z8)		

! Turning and milling inserts (8-edged)

You can find suitable milling heads in our milling systems with indexable inserts catalog (05).

You can find suitable external clamp holders in our online shop.

## RBGN

FullFace



FN - FullFace

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
	<b>RBGN 0602M0 FF</b>	6,00	.094	-	DP1030-0090	DP2030-0090		FullFace		
	<b>RBGN 0803M0 FF</b>	8,00	.125	-	DP1030-0092	DP2030-0092		FullFace		
	<b>RBGN 1003M0 FF</b>	10,00	.125	-	DP1030-0094	DP2030-0094		FullFace		
	<b>RBGN 1203M0 FF</b>	12,00	.125	-	DP1030-0096	DP2030-0096		FullFace		

Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.


Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)

All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

Subject to technical changes.

## SCGT - Positive Rake Angle

edge tipped



FN - positive rake angle

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
Standard	SCGT 32.50.5	.375	.156	.008	DP1010-0067	DP2010-0067		1-edge tipped		
	SCGT 32.51	.375	.156	.016	DP1010-0068	DP2010-0068		1-edge tipped		
	SCGT 32.52	.375	.156	.031	DP1010-0069	DP2010-0069		1-edge tipped		
	SCGT 32.53	.375	.156	.047	DP1010-0070	DP2010-0070		1-edge tipped		
	SCGT 431	.500	.187	.016	DP1010-0130	DP2010-0132		1-edge tipped		
	SCGT 432	.500	.187	.031	DP1010-0071	DP2010-0071		1-edge tipped		
	SCGT 433	.500	.187	.047	DP1010-0072	DP2010-0072		1-edge tipped		

## SCGW

edge tipped



FN - neutral

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
Standard	SCGW 32.50.5	.375	.156	.008	DP1010-0073	DP2010-0073		1-edge tipped		
	SCGW 32.51	.375	.156	.016	DP1010-0074	DP2010-0074		1-edge tipped		
	SCGW 32.52	.375	.156	.031	DP1010-0075	DP2010-0075		1-edge tipped		
	SCGW 32.53	.375	.156	.047	DP1010-0076	DP2010-0076		1-edge tipped		
	SCGW 431	.500	.187	.016	DP1010-0077	DP2010-0077		1-edge tipped		
	SCGW 432	.500	.187	.031	DP1010-0078	DP2010-0078		1-edge tipped		
	SCGW 433	.500	.187	.047	DP1010-0079	DP2010-0079		1-edge tipped		

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.

## SCGT - Positive Rake Angle

entire edge



FN - positive rake angle

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
Standard	SCGT 32.51 GS	.375	.156	.016	DP1020-0067	DP2020-0067		entire edge		
	SCGT 32.52 GS	.375	.156	.031	DP1020-0011	DP2020-0011		entire edge		
	SCGT 32.53 GS	.375	.156	.047	DP1020-0012	DP2020-0012		entire edge		
	SCGT 431 GS	.500	.187	.016	DP1020-0068	DP2020-0068		entire edge		
	SCGT 432 GS	.500	.187	.031	DP1020-0013	DP2020-0013		entire edge		
	SCGT 433 GS	.500	.187	.047	DP1020-0014	DP2020-0014		entire edge		

## SCGW

entire edge



FN - neutral

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
Standard	SCGW 32.51 GS	.375	.156	.016	DP1020-0015	DP2020-0015		entire edge		
	SCGW 32.52 GS	.375	.156	.031	DP1020-0016	DP2020-0016		entire edge		
	SCGW 32.53 GS	.375	.156	.047	DP1020-0017	DP2020-0017		entire edge		
	SCGW 431 GS	.500	.187	.016	DP1020-0018	DP2020-0018		entire edge		
	SCGW 432 GS	.500	.187	.031	DP1020-0019	DP2020-0019		entire edge		
	SCGW 433 GS	.500	.187	.047	DP1020-0020	DP2020-0020		entire edge		

Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)

All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

Subject to technical changes.

## TCGT - Positive Rake Angle

edge tipped



FN - positive rake angle

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
	TCGT 1.81.50.5	.219	.094	.008	DP1010-0080	DP2010-0080		1-edge tipped		
	TCGT 1.81.51	.219	.094	.016	DP1010-0081	DP2010-0081		1-edge tipped		
	TCGT 1.81.52	.219	.094	.031	DP1010-0082	DP2010-0082		1-edge tipped		
	TCGT 21.50.5	.250	.094	.008	DP1010-0083	DP2010-0083		1-edge tipped		
	TCGT 21.51	.250	.094	.016	DP1010-0084	DP2010-0084		1-edge tipped		
	TCGT 21.52	.250	.094	.031	DP1010-0085	DP2010-0085		1-edge tipped		
	TCGT 32.50.5	.375	.156	.008	DP1010-0086	DP2010-0086		1-edge tipped		
	TCGT 32.51	.375	.156	.016	DP1010-0087	DP2010-0087		1-edge tipped		
	TCGT 32.52	.375	.156	.031	DP1010-0088	DP2010-0088		1-edge tipped		
	TCGT 32.53	.375	.156	.047	DP1010-0089	DP2010-0089		1-edge tipped		

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites (CFRP, GFRP, MMC), Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.

## TCGT - Chip Breaker

edge tipped



FN - neutral - FN - Chip breaker for finishing (CBF) or roughing (CBR)

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version	
								CBF (Finishing)	CBR (Roughing)
	TCGT 1.81.50.5	.219	.094	.008	DP1011-0040			DP1012-0040	
	TCGT 1.81.51	.219	.094	.016	DP1011-0041			DP1012-0041	
	TCGT 1.81.52	.219	.094	.031	DP1011-0042			DP1012-0042	
	TCGT 21.50.5	.250	.094	.008	DP1011-0043			DP1012-0043	
	TCGT 21.51	.250	.094	.016	DP1011-0044			DP1012-0044	
	TCGT 21.52	.250	.094	.031	DP1011-0045			DP1012-0045	
	TCGT 32.50.5	.375	.156	.008	DP1011-0046			DP1012-0046	
	TCGT 32.51	.375	.156	.016	DP1011-0047			DP1012-0047	
	TCGT 32.52	.375	.156	.031	DP1011-0048			DP1012-0048	



Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)




All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

Subject to technical changes.

## TCGT - Positive Rake Angle

entire edge



FN - positive rake angle

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version	
								PCD	CVD-D
Standard	TCGT 1.81.50.5 GS	.219	.094	.008	DP1020-0069	DP2020-0069		entire edge	
	TCGT 1.81.51 GS	.219	.094	.016	DP1020-0021	DP2020-0021		entire edge	
	TCGT 1.81.52 GS	.219	.094	.031	DP1020-0022	DP2020-0022		entire edge	
	TCGT 21.50.5 GS	.250	.094	.008	DP1020-0070	DP2020-0070		entire edge	
	TCGT 21.51 GS	.250	.094	.016	DP1020-0023	DP2020-0023		entire edge	
	TCGT 21.52 GS	.250	.094	.031	DP1020-0024	DP2020-0024		entire edge	
	TCGT 21.53 GS	.250	.094	.047	DP1020-0025	DP2020-0025		entire edge	
	TCGT 32.50.5 GS	.375	.156	.008	DP1020-0071	DP2020-0071		entire edge	
	TCGT 32.51 GS	.375	.156	.016	DP1020-0027	DP2020-0027		entire edge	
	TCGT 32.52 GS	.375	.156	.031	DP1020-0028	DP2020-0028		entire edge	
	TCGT 32.53 GS	.375	.156	.047	DP1020-0029	DP2020-0029		entire edge	


### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.

## TCGT - Chip Breaker

entire edge



FN - neutral - FN - Chip breaker for finishing (CBF) or roughing (CBR)

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version	
								CBF (Finishing)	CBR (Roughing)
Standard	TCGT 1.81.50.5 GS	.219	.094	.008	DP1021-0038			DP1022-0038	
	TCGT 1.81.51 GS	.219	.094	.016	DP1021-0012			DP1022-0012	
	TCGT 1.81.52 GS	.219	.094	.031	DP1021-0013			DP1022-0013	
	TCGT 21.50.5 GS	.250	.094	.008	DP1021-0039			DP1022-0039	
	TCGT 21.51 GS	.250	.094	.016	DP1021-0014			DP1022-0014	
	TCGT 21.52 GS	.250	.094	.031	DP1021-0015			DP1022-0015	
	TCGT 32.50.5 GS	.375	.156	.008	DP1021-0040			DP1022-0040	
	TCGT 32.51 GS	.375	.156	.016	DP1021-0018			DP1022-0018	
	TCGT 32.52 GS	.375	.156	.031	DP1021-0019			DP1022-0019	

Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)

All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

Subject to technical changes.

# TCGW

edge tipped | FullFace



## FN - neutral

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
Standard	TCGW 1.81.50	.219	.094	.004	DP1010-0613	DP2010-0613		1-edge tipped		
	TCGW 1.81.50.5	.219	.094	.008	DP1010-0090	DP2010-0090		1-edge tipped		
	TCGW 1.81.51	.219	.094	.016	DP1010-0091	DP2010-0091		1-edge tipped		
	TCGW 1.81.52	.219	.094	.031	DP1010-0092	DP2010-0092		1-edge tipped		
	TCGW 21.50	.250	.094	.004	DP1010-0614	DP2010-0614		1-edge tipped		
	TCGW 21.50.5	.250	.094	.008	DP1010-0093	DP2010-0093		1-edge tipped		
	TCGW 21.51	.250	.094	.016	DP1010-0094	DP2010-0094		1-edge tipped		
	TCGW 21.52	.250	.094	.031	DP1010-0095	DP2010-0095		1-edge tipped		
	TCGW 32.50.5	.375	.156	.008	DP1010-0096	DP2010-0096		1-edge tipped		
	TCGW 32.51	.375	.156	.016	DP1010-0097	DP2010-0097		1-edge tipped		
	TCGW 32.52	.375	.156	.031	DP1010-0098	DP2010-0098		1-edge tipped		
	TCGW 32.53	.375	.156	.047	DP1010-0099	DP2010-0099		1-edge tipped		

## FN - FullFace

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
Standard	TCGW 1.81.50.5 FF	.219	.094	.008	DP1030-0030	DP2030-0030		FullFace		
Standard	TCGW 1.81.51 FF	.219	.094	.016	DP1030-0031	DP2030-0031		FullFace		
Standard	TCGW 1.81.52 FF	.219	.094	.031	DP1030-0032	DP2030-0032		FullFace		
Standard	TCGW 21.50.5 FF	.250	.094	.008	DP1030-0010	DP2030-0010		FullFace		
Standard	TCGW 21.51 FF	.250	.094	.016	DP1030-0011	DP2030-0011		FullFace		
Standard	TCGW 21.52 FF	.250	.094	.031	DP1030-0012	DP2030-0012		FullFace		

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.

# TCGW

entire edge



## FN - neutral

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
Standard	TCGW 1.81.50.5 GS	.219	.094	.008	DP1020-0072	DP2020-0072		entire edge		
	TCGW 1.81.51 GS	.219	.094	.016	DP1020-0030	DP2020-0030		entire edge		
	TCGW 1.81.52 GS	.219	.094	.031	DP1020-0031	DP2020-0031		entire edge		
	TCGW 21.50.5 GS	.250	.094	.008	DP1020-0073	DP2020-0073		entire edge		
	TCGW 21.51 GS	.250	.094	.016	DP1020-0032	DP2020-0032		entire edge		
	TCGW 21.52 GS	.250	.094	.031	DP1020-0033	DP2020-0033		entire edge		
	TCGW 21.53 GS	.250	.094	.047	DP1020-0034	DP2020-0034		entire edge		
	TCGW 32.50.5 GS	.375	.156	.008	DP1020-0074	DP2020-0074		entire edge		
	TCGW 32.51 GS	.375	.156	.016	DP1020-0036	DP2020-0036		entire edge		
	TCGW 32.52 GS	.375	.156	.031	DP1020-0037	DP2020-0037		entire edge		
	TCGW 32.53 GS	.375	.156	.047	DP1020-0038	DP2020-0038		entire edge		

Subject to technical changes.



Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)



All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

## TPGN

edge tipped



FN - neutral

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
Standard	TPGN 1.81.51	.219	.094	.016	DP1010-0100	DP2010-0100		1-edge tipped		
	TPGN 1.81.52	.219	.094	.031	DP1010-0101	DP2010-0101		1-edge tipped		
	TPGN 21.51	.250	.094	.016	DP1010-0102	DP2010-0102		1-edge tipped		
	TPGN 21.52	.250	.094	.031	DP1010-0103	DP2010-0103		1-edge tipped		
	TPGN 220.5	.250	.125	.008	DP1010-0104	DP2010-0104		1-edge tipped		
	TPGN 221	.250	.125	.016	DP1010-0105	DP2010-0105		1-edge tipped		
	TPGN 222	.250	.125	.031	DP1010-0106	DP2010-0106		1-edge tipped		
	TPGN 321	.375	.125	.016	DP1010-0107	DP2010-0107		1-edge tipped		
	TPGN 322	.375	.125	.031	DP1010-0108	DP2010-0108		1-edge tipped		
	TPGN 323	.375	.125	.047	DP1010-0109	DP2010-0109		1-edge tipped		

## TPGN

entire edge



FN - neutral

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
Standard	TPGN 221 GS	.250	.125	.016	DP1020-0039	DP2020-0039				entire edge
	TPGN 222 GS	.250	.125	.031	DP1020-0040	DP2020-0040				entire edge
	TPGN 223 GS	.250	.125	.047	DP1010-0041	DP2010-0041				entire edge
	TPGN 321 GS	.375	.125	.016	DP1020-0042	DP2020-0042				entire edge
	TPGN 322 GS	.375	.125	.031	DP1020-0043	DP2020-0043				entire edge
	TPGN 323 GS	.375	.125	.047	DP1020-0044	DP2020-0044				entire edge

## TPGW

edge tipped



FN - neutral

MinITools	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version		
								PCD	CVD-D	Ultra Diamond
MinITools	TPGW 06T101	.156	.078	.004				DP2010-0671	DP1110-1410	1-edge tipped
	TPGW 06T102	.156	.078	.008				DP2010-0672	DP1110-1412	1-edge tipped
	TPGW 06T104	.156	.078	.016				DP2010-0673	DP1110-1414	1-edge tipped

! You will find the matching boring bar holder in our boring bar catalog [03] on page 27.

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.

 Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)

 All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)


Subject to technical changes.

## VBGT - Positive Rake Angle

edge tipped



FN - positive rake angle



CL 3,00 mm  
1-edge tipped

ISO Code	PCD	CVD-D	Ultra Diamond
Item No.	Item No.	Item No.	
<b>VBGT 21.50</b>	.250	.094	.004
<b>VBGT 21.50.5</b>	.250	.094	.008
<b>VBGT 21.51</b>	.250	.094	.016
<b>VBGT 21.52</b>	.250	.094	.031
<b>VBGT 330</b>	.375	.187	.004
<b>VBGT 330.5</b>	.375	.187	.008
<b>VBGT 331</b>	.375	.187	.016
<b>VBGT 332</b>	.375	.187	.031
<b>VBGT 333</b>	.375	.187	.047

Version

Standard


ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
<b>VBGT 21.50</b>	.250	.094	.004	DP1010-0605	DP2010-0605		1-edge tipped
<b>VBGT 21.50.5</b>	.250	.094	.008	DP1010-0401	DP2010-0401		1-edge tipped
<b>VBGT 21.51</b>	.250	.094	.016	DP1010-0402	DP2010-0402		1-edge tipped
<b>VBGT 21.52</b>	.250	.094	.031	DP1010-0403	DP2010-0403		1-edge tipped
<b>VBGT 330</b>	.375	.187	.004	DP1010-0606	DP2010-0606		1-edge tipped
<b>VBGT 330.5</b>	.375	.187	.008	DP1010-0404	DP2010-0404		1-edge tipped
<b>VBGT 331</b>	.375	.187	.016	DP1010-0405	DP2010-0405		1-edge tipped
<b>VBGT 332</b>	.375	.187	.031	DP1010-0406	DP2010-0406		1-edge tipped
<b>VBGT 333</b>	.375	.187	.047	DP1010-0407	DP2010-0407		1-edge tipped

## VBGW

edge tipped



FN - neutral



CL 3,00 mm  
1-edge tipped

ISO Code	PCD	CVD-D	Ultra Diamond
Item No.	Item No.	Item No.	
<b>VBGW 21.50</b>	.250	.094	.004
<b>VBGW 21.50.5</b>	.250	.094	.008
<b>VBGW 21.51</b>	.250	.094	.016
<b>VBGW 21.52</b>	.250	.094	.031
<b>VBGW 330</b>	.375	.187	.004
<b>VBGW 330.5</b>	.375	.187	.008
<b>VBGW 331</b>	.375	.187	.016
<b>VBGW 332</b>	.375	.187	.031
<b>VBGW 333</b>	.375	.187	.047

Standard

ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
<b>VBGW 21.50</b>	.250	.094	.004	DP1010-0607	DP2010-0607		1-edge tipped
<b>VBGW 21.50.5</b>	.250	.094	.008	DP1010-0451	DP2010-0451		1-edge tipped
<b>VBGW 21.51</b>	.250	.094	.016	DP1010-0452	DP2010-0452		1-edge tipped
<b>VBGW 21.52</b>	.250	.094	.031	DP1010-0453	DP2010-0453		1-edge tipped
<b>VBGW 330</b>	.375	.187	.004	DP1010-0608	DP2010-0608		1-edge tipped
<b>VBGW 330.5</b>	.375	.187	.008	DP1010-0454	DP2010-0454		1-edge tipped
<b>VBGW 331</b>	.375	.187	.016	DP1010-0455	DP2010-0455		1-edge tipped
<b>VBGW 332</b>	.375	.187	.031	DP1010-0456	DP2010-0456		1-edge tipped
<b>VBGW 333</b>	.375	.187	.047	DP1010-0457	DP2010-0457		1-edge tipped

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.

Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)

All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

Subject to technical changes.

## VCGT - Positive Rake Angle

edge tipped



FN - positive rake angle

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version	
								PCD	CVD-D
	VCGT 1.21.50	.156	.094	.004	DP1010-0131	DP2010-0133		1-edge tipped	
	VCGT 1.21.50.5	.156	.094	.008	DP1010-0119	DP2010-0119		1-edge tipped	
	VCGT 1.21.51	.156	.094	.016	DP1010-0120	DP2010-0120		1-edge tipped	
	VCGT 1.21.52	.156	.094	.031	DP1010-0132	DP2010-0134		1-edge tipped	
	VCGT 220	.250	.125	.004	DP1010-0609	DP2010-0609		1-edge tipped	
	VCGT 220.5	.250	.125	.008	DP1010-0121	DP2010-0121		1-edge tipped	
	VCGT 221	.250	.125	.016	DP1010-0122	DP2010-0122		1-edge tipped	
	VCGT 222	.250	.125	.031	DP1010-0123	DP2010-0123		1-edge tipped	
	VCGT 330	.375	.187	.004	DP1010-0610	DP2010-0610		1-edge tipped	
	VCGT 330.5	.375	.187	0,20	DP1010-0124	DP2010-0124		1-edge tipped	
	VCGT 331	.375	.187	.016	DP1010-0125	DP2010-0125		1-edge tipped	
	VCGT 332	.375	.187	.031	DP1010-0126	DP2010-0126		1-edge tipped	
	VCGT 333	.375	.187	.047	DP1010-0127	DP2010-0127		1-edge tipped	

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.

## VCGT - Chip Breaker

edge tipped



FN - neutral - FN - Chip breaker for finishing (CBF) or roughing (CBR)

Standard	ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version	
								CBF (Finishing)	CBR (Roughing)
	VCGT 1.21.50.5	.156	.094	.008	DP1011-0060	DP2011-0060	DP1012-0060	DP2012-0060	1-edge tipped
	VCGT 1.21.51	.156	.094	.016	DP1011-0061	DP2011-0061	DP1012-0061	DP2012-0061	1-edge tipped
	VCGT 1.21.52	.156	.094	.031	DP1011-0075	DP2011-0075	DP1012-0075	DP2012-0075	1-edge tipped
	VCGT 220.5	.250	.125	.008	DP1011-0062	DP2011-0062	DP1012-0062	DP2012-0062	1-edge tipped
	VCGT 221	.250	.125	.016	DP1011-0063	DP2011-0063	DP1012-0063	DP2012-0063	1-edge tipped
	VCGT 222	.250	.125	.031	DP1011-0064	DP2011-0064	DP1012-0064	DP2012-0064	1-edge tipped
	VCGT 330.5	.375	.187	.008	DP1011-0065	DP2011-0065	DP1012-0065	DP2012-0065	1-edge tipped
	VCGT 331	.375	.187	.016	DP1011-0066	DP2011-0066	DP1012-0066	DP2012-0066	1-edge tipped
	VCGT 332	.375	.187	.031	DP1011-0067	DP2011-0067	DP1012-0067	DP2012-0067	1-edge tipped

Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)

All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

Subject to technical changes.

## VCGW

edge tipped



FN - neutral

ISO Code	IC	S	R	PCD	CVD-D	Ultra Diamond	Version
				Item No.	Item No.	Item No. <small>New</small>	
VCGW 050101	.122	.062	.004		DP2010-0561	DP1110-1498	2-edge tipped
VCGW 050102	.122	.062	.008		DP2010-0562	DP1110-1500	2-edge tipped
VCGW 050104	.122	.062	.016		DP2010-0563	DP1110-1502	2-edge tipped

! You will find the matching boring bar holder in our boring bar catalog (03) on page 28.

ISO Code	IC	S	R	PCD	CVD-D	Ultra Diamond	Version
				Item No.	Item No.	Item No.	
VCGW 1.21.50	.156	.094	.004	DP1010-0135	DP2010-0135		1-edge tipped
VCGW 1.21.50.5	.156	.094	.008	DP1010-0110	DP2010-0110		1-edge tipped
VCGW 1.21.51	.156	.094	.016	DP1010-0111	DP2010-0111		1-edge tipped
VCGW 1.21.52	.156	.094	.031	DP1010-0136	DP2010-0136		1-edge tipped
VCGW 220	.250	.125	.004	DP1010-0611	DP2010-0611		1-edge tipped
VCGW 220.5	.250	.125	.008	DP1010-0112	DP2010-0112		1-edge tipped
VCGW 221	.250	.125	.016	DP1010-0113	DP2010-0113		1-edge tipped
VCGW 222	.250	.125	.031	DP1010-0114	DP2010-0114		1-edge tipped
VCGW 330	.375	.187	.004	DP1010-0612	DP2010-0612		1-edge tipped
VCGW 330.5	.375	.187	.008	DP1010-0115	DP2010-0115		1-edge tipped
VCGW 331	.375	.187	.016	DP1010-0116	DP2010-0116		1-edge tipped
VCGW 332	.375	.187	.031	DP1010-0117	DP2010-0117		1-edge tipped
VCGW 333	.375	.187	.047	DP1010-0118	DP2010-0118		1-edge tipped

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

You will find further application ranges in the detailed overview on page 7.

## VXGW

edge tipped




FN - neutral

ISO Code	IC	S	R	PCD	CVD-D	Ultra Diamond	Version
				Item No.	Item No.	Item No.	
VXGW 330	.375	.187	.004				1-edge tipped
VXGW 330.5	.375	.187	.008				1-edge tipped
VXGW 331	.375	.187	.016				1-edge tipped
VXGW 332	.375	.187	.031				1-edge tipped

## VXGW

### Face / Axial Machining



Special tools on request for you!  
Please send inquiries to [sales@ranitool.com](mailto:sales@ranitool.com)



All our products are also available in the online shop.  
Visit us at [ranitool.com](http://ranitool.com)

Subject to technical changes.

# WCGW

edge tipped | FullFace



## FN - neutral

Diagram showing dimensions: IC, S, CL, R.

CL 1,60 mm  
3-edge tipped

ISO Code	IC	S	R	Item No.	Item No.	Item No. <small>New</small>	Version
	PCD	CVD-D	Ultra Diamond				
WCGW 1.210	.156	.062	.004		DP2010-0571	DP1110-1504	3-edge tipped
WCGW 1.210.5	.156	.062	.008		DP2010-0572	DP1110-1506	3-edge tipped
WCGW 1.211	.156	.062	.016		DP2010-0573	DP1110-1508	3-edge tipped

! You will find the matching boring bar holder in our boring bar catalog [03] on page 33.

## FN - FullFace

Diagram showing dimension: S.

FullFace

ISO Code	IC	S	R	Item No.	Item No.	Item No.	Version
	PCD	CVD-D	Ultra Diamond				
WCGW 1.210 FF	.156	.062	.004		DP2030-0117		FullFace
WCGW 1.210.5 FF	.156	.062	.008		DP2030-0113		FullFace
WCGW 1.211 FF	.156	.062	.016		DP2030-0114		FullFace

! You will find the matching boring bar holder in our boring bar catalog [03] on page 33.

### Application range:

- PCD Aluminum <10% Si, Brass, Brass lead-free, Graphite coarse-grained, Titanium (Roughing) ...
- CVD-D Acrylic, Aluminum >10% Si, Carbide, Ceramics, Composites [CFRP, GFRP, MMC], Copper, Plastics, PEEK, Titanium (Finishing) ...
- U-Diamond Carbide <10% Co, Carbide with Nickel Binder, Glass Materials, sintered Ceramic Materials, highly abrasive materials ...

## Your Notes

--

## Cutting Parameters

for our diamond indexable inserts

**Vc X 3.28 = SFM**

**ap / 25.4 = DOC inches**

**F / 25.4 = inch / revolution**

**Vc X 3.28 = SFM**

**ap / 25.4 = DOC inches**

**F / 25.4 = inch / revolution**

Material	Diamond Indexable Inserts											
	PCD						CVD-D					
	$V_c$ [m/min]		$a_p$ [mm]		$F$ [mm/rev]		$V_c$ [m/min]		$a_p$ [mm]		$F$ [mm/rev]	
Material	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.
Acrylic (PMMA)	100	2.000	0,01	2,80	0,01	.016	200	5.000	0,01	2,60	0,01	0,50
Al Si <10%	300	3.000	0,01	2,80	0,01	0,50	200	5.000	0,01	2,80	0,01	0,60
Al Si >10%							150	4.000	0,01	2,80	0,01	.016
Brass, Brass lead-free	120	2.000	0,01	2,60	0,01	0,40	80	3.000	0,01	2,60	0,01	0,50
Carbide G-Grade <15% Co	on request											
Carbide G-Grade >15% Co	on request											
Carbide K-Grade <15% Co	on request											
Carbide K-Grade >15% Co	on request											
Carbide with Ni Binder	on request											
Ceramics, Zirconium	on request											
Composites GFRP/CFRP / MMC							80	3.000	0,01	2,60	0,01	0,50
Copper, Copper alloy	100	2.000	0,01	2,60	0,01	0,40	60	3.500	0,01	2,60	0,005	0,60
Glass, Glass Ceramics	on request											
Gold, Silver, Platinum							80	3.000	0,01	2,60	0,01	0,50
Graphite	150	1.000	0,01	2,80	0,02	0,50	80	1.500	0,01	2,80	0,01	0,60
Magnesium	200	3.000	0,01	2,80	0,01	0,30	80	4.500	0,01	2,60	0,01	0,40
Plastics							100	1.500	0,01	2,80	0,01	0,60
PEEK	80	3.000	0,01	2,60	0,01	0,50						
Titanium	80	150	0,01	0,50	0,01	0,30	100	200	0,01	0,50	0,01	0,40
Tungsten Copper							40	1.200	0,01	2,00	0,01	0,30

Material	Diamond Indexable Inserts														
	UltraDiamond						Cooling								
	$V_c$ [m/min]		$a_p$ [mm]		$F$ [mm/rev]		min.		max.		Dry	Air	Emulsion	Oil	MQL
Material	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.	5. Choice	4. Choice	1. Choice	2. Choice	3. Choice
Carbide G-Grade <15% Co	80	5.000	0,01	2,60	0,005	0,50									
Carbide G-Grade >15% Co															
Carbide K-Grade <15% Co															
Carbide K-Grade >15% Co															
Carbide with Ni Binder															
Ceramics, Zirconium															
Composites GFRP/CFRP / MMC											4. Choice	1. Choice	2. Choice		3. Choice
Copper, Copper alloy												4. Choice	1. Choice	2. Choice	3. Choice
Glass, Glass Ceramics															
Gold, Silver, Platinum												3. Choice	1. Choice		2. Choice
Graphite											2. Choice	1. Choice			
Magnesium												4. Choice	1. Choice	2. Choice	3. Choice
Plastics												3. Choice	1. Choice		2. Choice
PEEK												4. Choice	1. Choice	2. Choice	3. Choice
Titanium												4. Choice	1. Choice	2. Choice	3. Choice
Tungsten Copper												3. Choice	1. Choice		2. Choice

# Cutting Parameters

for our diamond indexable inserts with chip breaker

**Vc X 3.28 = SFM**  
**ap / 25.4 = DOC inches**  
**F / 25.4 = inch / revolution**



		Chip Breaker											
Material	R	Chip breaker F (Finishing chip breaker)						Chip breaker R (Roughing chip breaker)					
		V <sub>c</sub> [m/min]		a <sub>p</sub> [mm]		F [mm/rev]		V <sub>c</sub> [m/min]		a <sub>p</sub> [mm]		F [mm/rev]	
		min.	max.	min.	max.	min.	max.	min.	max.	min.	max.	min.	max.
AlSi <3%	0,2	100	800	0,01	2,80	0,02	.004	100	800	0,05	2,00	0,03	0,10
	0,4	100	800	0,01	2,80	0,04	.008	100	800	0,06	2,50	0,03	0,20
	0,8	100	800	0,01	2,80	0,05	0,40	100	800	0,08	2,80	0,06	0,40
	1,2	100	800	0,01	2,80	0,05	0,40	100	800	0,10	2,80	0,08	0,60
AlSi <12%	0,2	80	600	0,01	2,00	0,02	0,10	80	800	0,10	2,50	0,08	0,10
	0,4	80	600	0,01	2,50	0,04	0,20	80	800	0,12	2,50	0,10	0,20
	0,8	80	600	0,01	2,50	0,05	0,40	80	800	0,15	2,80	0,15	0,40
	1,2	80	600	0,01	2,80	0,05	0,60	80	800	0,20	2,80	0,20	0,60
Brass lead-free	0,2	80	600	0,01	2,00	0,02	0,10	80	600	0,10	2,80	0,05	0,10
	0,4	80	800	0,01	2,50	0,04	0,20	80	800	0,12	2,80	0,07	0,20
	0,8	80	800	0,01	2,80	0,05	0,40	80	800	0,15	2,80	0,07	0,40
	1,2	80	800	0,01	2,80	0,05	0,60	80	800	0,20	2,80	0,12	0,60
Copper, Bronze	0,2	80	600	0,01	2,00	0,02	0,10	80	600	0,12	2,80	0,08	0,10
	0,4	80	600	0,01	2,50	0,04	0,20	80	600	0,15	2,80	0,10	0,20
	0,8	80	600	0,01	2,50	0,05	0,40	80	600	0,15	2,80	0,20	0,40
	1,2	80	600	0,01	2,80	0,05	0,60	80	600	0,20	2,80	0,25	0,60
MMC	0,2	100	500	0,01	2,80	0,02	0,10	100	500	0,08	2,80	0,05	0,10
	0,4	100	500	0,01	2,80	0,04	0,20	100	500	0,10	2,80	0,06	0,20
	0,8	100	500	0,01	2,80	0,05	0,40	100	500	0,20	2,80	0,10	0,40
	1,2	100	500	0,01	2,80	0,05	0,60	100	500	0,25	2,80	0,15	0,60

## Cooling recommended

In machining with diamond inserts, proper cooling is a key to successful machining.

Here you will find our recommendation:

Cooling					
Material	Dry	Air	Emulsion	Oil	MQL
AlSi <3%			1. Choice	2. Choice	3. Choice
AlSi <12%			1. Choice	2. Choice	3. Choice
Brass lead-free	5.Choice	4.Choice	1. Choice	2. Choice	3. Choice
Copper, Bronze			1. Choice	2. Choice	3. Choice
MMC	2.Choice	1.Choice			




If you have any further technical questions, please do not hesitate to contact

us by phone or e-mail!

Phone: 888.554.7264

Mail: sales@ranitool.com



## Copyright and Safety Instructions

### Copyright:

The reprint of our catalogs, copies of our flyers and newsletters or only excerpts such as illustrations, designs, technical information and design require the written permission of Rani Tool Corp. Copies or only excerpts such as illustrations, designs, technical information from our homepage and our online store are only permitted with the written consent of Rani Tool Corp.

All rights are reserved. Errors, misprints or printing errors do not entitle to claims. The pictorial and graphic representation of our tools do not necessarily have to correspond to the actual tool in all details.

We reserve the right to make production-related technical changes and changes to the delivery program. The cutting values given are guide values which must be adjusted according to the process environment.

### Safety Instructions:

- ▶ Tools equipped with ultra-hard cutting edges are very sharp laser cut tools.
- ▶ Careful handling of the tools during unpacking and their use is recommended.
- ▶ Wearing protective gloves reduces the risk of injury.
- ▶ Material chipping and tool breakage may occur during machining, wearing safety glasses is recommended.
- ▶ Balanced holders are recommended for speeds above 10,000 rpm.
- ▶ We do not accept any responsibility for tools that have been modified, reground or used incorrectly and beyond their normal service life.
- ▶ Protective goggles are recommended when using tools, sparks may also occur, make sure that no fire can occur.



™ 320 Troy Circle, Unit C, Knoxville, TN 37919

**Tel: (865) 337-7799 or (888) 554-RANI • Fax: (865) 337-7716**  
**E-mail: sales@ranitool.com • www.ranitool.com**